
Biseladoras


TUBOS METÁLICOS

MONTAGEM EXTERNA

OCE (ELÉTRICA) OCP (PNEUMÁTICA) OCH (HIDRAÚLICA) - OSM (SERVO MOTOR) Faça sua cotação, temos as melhores ofertas







Escolha seu modelo

Modelos OCE - OCP - OCH - OSM	Ø Externo Polegadas	Parede ≤ mm	RPM OCE OCP OCH OSM			
168	1 - 6	30	18	21	90	90
325	6 - 12	30	13	16	70	70
457	12 - 18	30	12	12	55	55
610	18 - 24	30	11	11	50	50
762	24 - 30	30	10	11	48	48
914	30 - 36	30	10	10	41	41
1066	36 - 42	30	10	09	32	32
1230	40 - 48	30	10	08	30	30



Lâmina Dupla





Lâmina Única





Material adequado a dureza do tubo

CS - Aço Carbono || HSS- Aço Inox || HSS + Co - Aço Inox + Cobalto Ângulo usual 0° a 37,5° || Desenho usual V e J

Av. Álvaro Correa de Toledo, 60 Jardim Ipanema - Cep 13425-392 Piracicaba/SP

www.nomaq.com.br

Televendas19 3375.2261
19 99516.0326 **S**







